

# The Brief Non-Suicidal Self-Injury Assessment Tool (BNSSI-AT)

Developed by:
The Cornell Research Program on Self-Injury and Recovery
www.selfinjury.bctr.cornell.edu

How to Interpret this Document: This document shows main questions as well as subquestions, as indicated in colored text. The response option that triggers a sub-question will appear in color (most are blue, though other levels of sub-questions also appear in red). The sub-question that relates to that response option appears immediately below and is in the same color as the response option that triggers the sub-question. If more than one sub-question follows from this one response option, the additional subquestions appear below in the same color. If a sub-question has another sub-question within it, the same pattern follows (the response option that triggers the sub-question is in a color that matches the color of the text of the sub-question below) though it will be in a different color from the first sub-question.

**Citation:** Whitlock, J.L., Exner-Cortens, D. & Purington, A. (2014). Validity and reliability of the non-suicidal self-injury assessment test (NSSI-AT). *Psychological Assessment* 26(3): 935-946.

## Primary and secondary NSSI characteristics

#### A. Forms

- 1. Have you ever done any of the following with the purpose of intentionally hurting yourself?<sup>1</sup>
  - Severely scratched or pinched with fingernails or other objects to the point that bleeding occurs or marks remain on the skin
  - Cut wrists, arms, legs, torso or other areas of the body
  - Dripped acid onto skin
  - Carved words or symbols into the skin
  - Ingested a caustic substance(s) or sharp object(s) (Drano, other cleaning substances, pins, etc.)
  - Bitten yourself to the point that bleeding occurs or marks remain on the skin
  - Tried to break your own bone(s)
  - Broke your own bone(s)
  - Ripped or torn skin
  - o Burned wrists, hands, arms, legs, torso or other areas of the body
  - Rubbed glass into skin or stuck sharp objects such as needles, pins, and staples into or underneath the skin (not including tattooing, body piercing, or needles used for medication use)
  - Banged or punched objects to the point of bruising or bleeding
  - o Punched or banged *oneself* to the point of bruising or bleeding
  - o Intentionally prevented wounds from healing
  - o Engaged in fighting or other aggressive activities with the intention of getting hurt
- 2. Are there any other ways that you have physically hurt or mutilated your body with the purpose of intentionally hurting yourself?
  - o Yes; please specify
  - o No

<sup>&</sup>lt;sup>1</sup> Note: We advise against use of a behavior-based NSSI screening item with secondary school students. Single item measures, while slightly less effective, are preferred in this population. We piloted this measure: "Have you ever hurt your body (e.g. cut, carve, burn, scratch really hard, punch) on purpose but without wanting to end your life?" with freshmen college students and found a similar NSSI rate as with our behavior based item.

### B. Functions

3. How true are the following statements about why you hurt yourself? Please select the most accurate response.

I hurt myself	Strongly Disagree (1)	Somewhat Disagree (2)	Somewhat Agree (3)	Strongly Agree (4)
to feel something				
because my friends hurt themselves				
as a self-punishment or to atone for				
sins				
to get a rush or surge of energy				
to deal with frustration				
to cope with uncomfortable feelings				
(e.g., depression or anxiety)				
in hopes that someone would notice				
that something is wrong or that so others				
will pay attention to me				
so I do not hurt myself in other ways				
because it feels good				
to deal with anger				
to get control over myself or my life				
to shock or hurt someone				
to avoid committing suicide				
because I get the urge and cannot stop				
it				
to relieve stress or pressure				
to change my emotional pain into				
something physical				
because of my self-hatred				
because I like the way it looks				
as a way to practice suicide				
as an attempt to commit suicide				
Other, please describe				

4. In the above question, you indicated that you intentionally hurt yourself with the intention of practicing or committing suicide. Was practicing or attempting suicide the *primary* reason you intentionally hurt yourself?

- o Yes
- o No
- o I am not sure

If only these items are indicated or if #4 is answered yes, we exclude these individuals from the NSSI track and recode as no NSSI<sup>2</sup>

<sup>&</sup>lt;sup>2</sup> We have also run surveys where we indicate self-injury without suicidal intent in the screening item rather then eliminating suicide as a function at this juncture. Including suicide function here, however, allows for analysis of intention consistent with NSSI as part of a self-harm continuum.

## C. Recency and Frequency (and age of onset and cessation)

5. The following questions ask about your experience with intentionally hurting yourself. We know that this can be a difficult issue to think and talk about. Please note that there are web links on the bottom of every page and at the end of the survey with contact information you can use if you feel like you want to talk with someone. There is also a distraction button you can use to take a break if you start to feel triggered or at all uncomfortable. The information you provide about this topic will be used to help others who intentionally hurt themselves. It will take about 15 more minutes to complete this survey. Thank you in advance for your time and honesty.

~~~~~ When was the last time you intentionally hurt yourself in one of the ways listed in the previous question?

- Less than 1 week ago
- Between 1 week and 1 month ago
- Between 1 and 3 months ago
- Between 3 and 6 months ago
- o Between 6 months and 1 year ago
- o Between 1 and 2 years ago
- More than 2 years ago

5a. How likely are you to intentionally hurt yourself again?

- Very likely
- o Somewhat likely
- o Not sure
- Somewhat unlikely
- Very unlikely

5b. How old were you the last time you self-injured?

- 6. Approximately on how many total occasions have you intentionally hurt yourself?
  - Only once
  - 2-3 times
  - 4-5 times
  - o 6-10 times
  - o 11-20 times
  - o 21-50 times
  - o More than 50 times
- 7. If you had to estimate the total number of occasions you have intentionally hurt yourself, what would you estimate?<sup>3</sup>
- 8. On approximately how many days have you injured yourself in the past year?
- 9. How old were you the first time you intentionally hurt yourself?

### D. Wound Locations

- 10. On what areas of your body have you intentionally hurt yourself?
  - o Wrists

\_

<sup>&</sup>lt;sup>3</sup> We include this as well as the item above because it is preferable to work with the continuous data generated by this item but often less accurate since individuals with many self-injury incidents cannot often recall number of incidents. Including both provides both options.

- o Hands
- o Arms
- o Fingers
- o Calves or ankles
- o Thighs
- Stomach or chest
- o Back
- o Buttocks
- o Head
- o Feet
- o Face
- o Lips or tongue
- Shoulders or neck
- o Breasts
- o Genitals or rectum
- o Other; please specify

## E. Habituation and Perceived Life Interference

11.

| How true are each of the following statements for you?                                                                  | Strongly<br>disagree<br>(1) | Somewhat<br>disagree<br>(2) | Neither<br>agree<br>nor<br>disagree<br>(3) | Somewhat<br>agree<br>(4) | Strongly<br>agree<br>(5) |
|-------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------|--------------------------------------------|--------------------------|--------------------------|
| I have had to intentionally hurt myself more deeply and / or in more places on my body over time to get the same effect |                             |                             |                                            |                          |                          |
| I want to stop<br>intentionally hurting<br>myself altogether, but<br>have trouble stopping                              |                             |                             |                                            |                          |                          |
| I will not need help from<br>someone to stop<br>intentionally hurting<br>myself altogether - I can<br>do it on my own   |                             |                             |                                            |                          |                          |
| Nothing else works as well as intentionally hurting myself to calm me down or give me relief                            |                             |                             |                                            |                          |                          |
| I have had to fight the urge to start intentionally hurting myself again                                                |                             |                             |                                            |                          |                          |

| When I have the urge to intentionally hurt myself it is easy to control it |  |  |  |
|----------------------------------------------------------------------------|--|--|--|
| The fact that I intentionally hurt myself is a problem in my life          |  |  |  |

- 12. The fact that I intentionally hurt myself interferes with: (Please check all that apply) (this could be asked in Likert-type format)
  - Relationships which are important to me
  - My ability to complete school or work obligations
  - o My ability to take care of myself (eat right, exercise, etc.)
  - My ability to engage in hobbies or things that I like to do
  - o My self-worth / self-esteem
  - The clothing I wear
  - o Other; please specify
  - o It does not interfere with my life in any way